



# WINDFORM<sup>®</sup> RL Seal

**CERTIFICATE OF CONFORMITY**

**EN 10204: 2005 TYPE 3.1**

**Technology:** Selective Laser Sintering - SLS

**Material Class:** Liquid, sealant for Windform RL

This product was analysed in the laboratory and the following results have been found and comply to original lab document.

**Batch number:** 17ZSB0404

**Production date:** April 2017

<b>Viscosity (DIN 4 Cup)</b>	<b>Tolerance</b> 18-24	<b>Measured Value</b> 19 seconds
<b>pH Value</b>	<b>Tolerance</b> 9.0-11.0	<b>Measured Value</b> 10.5
<b>Solid content</b>	<b>Tolerance</b> 50-60%	<b>Measured Value</b> 55%
<b>Density</b>	<b>Tolerance</b> 0.94-0.99	<b>Measured Value</b> 0.98 g/cm <sup>3</sup>

**This Material is up to CRP Technology standard and formula for Windform<sup>®</sup> RL Seal**

Ing. Franco Cevolini  
Technical Director

This document is valid without a signature

---

**CRP TECHNOLOGY S.r.l.**

**Sede Legale e Amministrativa/Headquarter and Administration Office**

Via Cesare Della Chiesa 150/C - 41126 Modena

Tel./Phone +39-059-330544/821135

Fax +39-059-822071/381148

P.IVA/C.F./Reg. Impr. Modena IT03344960368 (VAT number)

Capitale sociale Euro 80.000 i.v.